

=====

Count	RefDes	Value	Description
38	JW1	0	22 GA TINNED COPPER
	JW2		
	JW3		
	JW4		
	JW5		
	JW6		
	JW7		
	JW8		
	JW9		
	JW10		
	JW11		
	JW12		
	JW13		
	JW14		
	JW15		
	JW16		
	JW17		
	JW18		
	JW19		
	JW20		
	JW21		
	JW22		
	JW23		
	JW24		
	JW25		
	JW26		
	JW27		
	JW28		
	JW29		
	JW30		
	JW31		
	JW32		
	JW33		
	JW34		
	JW35		
	JW36		
	JW37		
	JW38		
2	C21	.0047	.0047 uF 100V 10per
	C40		
2	C25	.01	.01 uF 100V 10per
	C34		
4	C6	.1	.1 uF 100V 10per
	C7		
	C13		
	C16		
4	R42	1K	1K OHM .25W 1per
	R52		
	R60		
	R61		
2	R23	1K8	1K8 OHM .25W 1per
	R24		
2	R14	2K4	2K4 OHM .25W 1per
	R19		
6	R6	5K1	5K1 OHM .25W 1per
	R7		
	R12		
	R13		

	R22		
	R26		
3	R1	6K8	6K8 OHM .25W 1per
	R2		
	R8		
2	R9	10	10 OHM .25W 1per R
	R10		
1	R25	1M	1M OHM .25W 1per
24	R28	10K	10K OHM .25W 1per
	R30		
	R31		
	R33		
	R34		
	R35		
	R36		
	R38		
	R50		
	R51		
	R54		
	R55		
	R56		
	R59		
	R67		
	R68		
	R69		
	R70		
	R71		
	R72		
	R73		
	R74		
	R75		
	R76		
1	R77	100K	100K OHM .25W 1per
1	VR1	10KC	
1	Z1	20 PIN R/A CONN	DOUBLE ROW .100" SPACING
7	R43	18K	18K OHM .25W 1per
	R44		
	R45		
	R46		
	R47		
	R48		
	R49		
4	VR6	20KA	
	VR7		
	VR8		
	VR9		
5	VR2	20KB DUAL	
	VR3		
	VR4		
	VR5		
	VR10		
13	C8	22	22 uF 25V 20per EL
	C9		
	C15		
	C22		
	C23		
	C28		
	C30		
	C31		
	C33		
	C37		
	C39		
	C41		
	C44		
1	R17	22	22 OHM .25W 1per

2	R41	22K	22K OHM .25W 1per
	R63		
3	C1	47	47 uF 50V 20per EL
	C2		
	C3		
2	C10	47	47 uF 25V 20per EL
	C12		
2	R78	4K7	4K7 OHM .25W 1per
	R79		
4	R3	47K	47K OHM .25W 1per
	R4		
	R37		
	R39		
2	R53	75K	75K OHM .25W 1per
	R65		
1	R5	100	100 OHM .25W 1per
2	R58	150K	150K OHM .25W 1per
	R62		
10	C4	220 pF	220pF 10per DISK
	C5		
	C14		
	C17		
	C18		
	C26		
	C29		
	C32		
	C38		
	C42		
1	R27	220K	220K OHM .25W 1per
1	C11	470	470 uF 10V 20per
3	C27	470 pF	470pF 10per DISK
	C28		
	C35		
3	R11	511	511 OHM .25W 1per
	R15	511	511 OHM .25W 1pe
	R20		
4	R40	680	680 OHM .25W 1per
	R57		
	R64		
	R66		
2	R16	820	820 OHM .25W 1per
	R21		
12	D1	4148	75V PIV 10mA/1V .5
	D2		
	D3		
	D4		
	D6		
	D7		
	D8		
	D9		
	D10		
	D11		
	D12		
	D13		
4	IC1	4560P	4560P DUAL OPAMP
	IC2		
	IC3		
	IC4		
2	Q1	A970	
	Q4		
2	Q2	C2240	
	Q3		
2	K1	DPDT PUSHBUTTON	
	K2		
2	L1	FERRITE	FERRITE BEAD TAPE

L2		
1 Q5	MPS-A13	MPSA13 NPN 30V 1.5
1 D5	PEAK LED	
2 J2	T/R/S	T/R/S JACK W/GND
J3		
1 Z3	TO FADER	5 PIN R/A SHROUDED
1 J1	XLR FEMALE	
1 PWB1	06A284-01	STEREO CHANNEL PWB