

```

=====
Count  RefDes          Value          Description
-----
29 JW1                0              22 GA TINNED COPPER
   JW2
   JW3
   JW4
   JW5
   JW6
   JW7
   JW8
   JW9
   JW10
   JW11
   JW12
   JW13
   JW14
   JW15
   JW16
   JW17
   JW18
   JW19
   JW20
   JW21
   JW22
   JW23
   JW24
   JW25
   JW26
   JW27
   JW28
   JW29
4  C6                .1             .1 uF 100V 10per
   C7
   C36
   C37
2  R4                5K1            5K1 OHM .25W 1per
   R14
1  R28               6K8            6K8 OHM .25W 1per
2  R9                10             10 OHM .25W 1per
   R10
18 R1                10K            10K OHM .25W 1per
   R2
   R3
   R6
   R8
   R12
   R13
   R15
   R17
   R23
   R24
   R29
   R30
   R31
   R32
   R37

```

	R38		
1	Z2	10 PIN R/A HDR	DOUBLE ROW .100" SP
1	Z1	20 PIN R/A HDR	DOUBLE ROW .100" SP
1	R19	18K	18K OHM .25W 1per
2	VR1	20KA	
	VR2		
1	VR3	20KB DUAL	
15	C2	22	22 uF 25V 20per EL
	C3		
	C8		
	C9		
	C11		
	C14		
	C17		
	C19		
	C23		
	C25		
	C31		
	C34		
	C35		
	C38		
	C39		
3	C5	22 pF	22pF 10per Z5F DIS
	C18		
	C30		
2	R7	22K	22K OHM .25W 1per
	R11		
1	R27	30K	30K OHM .25W 1per
1	C21	50 pF	50pF 10per Z5F DIS
1	R22	100	100 OHM .25W 1per
2	C10	100pF	100pF 10per DISK
	C13		
3	R16	100K	100K OHM .25W 1per
	R21		
	R26		
6	C1	220 pF	220pF 10per DISK
	C12		
	C15		
	C16		
	C32		
	C33		
2	R20	470	470 OHM .25W 1per
	R25		
12	D1	4148	75V PIV 10mA/1V .5
	D2		
	D3		
	D4		
	D5		
	D6		
	D7		
	D8		
	D9		
	D10		
	D11		
	D12		
5	IC1	4560P	4560P DUAL OPAMP
	IC2		
	IC3		
	IC4		
	IC5		
1	K1	DPDT PUSH SW	

2 J1
J2
1 Z3
1 CANNON
1 RCA1
1 PWB1

T/R/S
TO FADER
XLR MALE
RCA JACK
06A299-01

T/R/S JACK W/GND
4 PIN R/A SHROUDED
AUX/MON PWB