



NOTES

- 1) CAUTION: SHOCK HAZARD!
THIS UNIT CONTAINS HAZARDOUS VOLTAGE. DISCONNECT POWER AND BE SURE POWER SUPPLY IS DISCHARGED BEFORE TOUCHING INTERNAL PARTS.
- 2) UNLESS NOTED, RESISTOR VALUES IN OHMS, 1/4W-5% TOL. CAPACITOR VALUES IN MICROFARADS, 50V-10% TOL.
- 3) VOLTAGES ARE MEASURED WITH 1 MEGOHM OSCILLOSCOPE AND 10 MEGOHM DIGITAL VOLTMETER.
- 4) CHASSIS GROUND ∇ SIGNAL GROUND ∇ CIRCUIT GROUND ∇

CAUTION:
THIS SCHEMATIC IS PROVIDED FOR USE BY QUALIFIED PERSONNEL. TO AVOID RISK OF ELECTRICAL SHOCK, REFER SERVICING TO QUALIFIED SERVICE PERSONNEL. DO NOT PERFORM ANY SERVICING BEYOND THAT IN THE OPERATING INSTRUCTIONS.

6					
5					
4	6-16-98	RLB			REVERSED PINS 5 & 6 ON U101 PER ECO 980318
3	1-23-98	RLB			R312 WAS 4.7K PER ECO 980001
2	11-24-97	RLB	JJP		UPDATED REV TO AGREE WITH PICTORIAL PER ECO 970786
1	11-11-97	RLB			CHANGE TO AGREE WITH PICTORIAL PER ECO 970770
REV	DATE	BY	CHK'D		DESCRIPTION
SIGNATURES:		DATE:			
DRAWN: BOB		08/05/97			
CHK'D: JJP		10/21/97		PROJECT NAME:	
APP'D: JJP		10/21/97		TFX3-PE	
ORIGINAL ISSUED:		10/21/97		DRAWING NAME:	
PLOT DATE:		09/29/98		RACK PARAMETRIC EQ	
PLOT TIME:		14:17:04		DRAWING NO. 07S648-01	
FILE NAME:		64801r4_		REV 4_	
		SCALE: 1:1		SHEET: 1 OF 1	